


Gemini Pro D-I

The Gemini Pro D-I is a deposit safe certified to EN 1143-2 Grade D-I, for taking cash in through a deposit drawer without opening the safe door. Four sizes run from 119 to 384 litres, for shops, filling stations, hotels and any business handling takings through the day.

KEY FACTS

- Burglary** Grade D-I (EN 1143-2, deposit safes)
- Deposit** Drawer: envelopes up to 300 × 265 mm, bags up to 300 × 80 mm (W × H). No loose coins, notes or keys.



Gemini Pro D-I

Model	External H×W×D (mm)	Internal H×W×D (mm)	Door opening (mm)	Capacity (L)	Weight (kg)
Gemini Pro D-I 97	775 × 665 × 665	370 × 605 × 530	331 × 555	119	419
Gemini Pro D-I 175	1040 × 665 × 665	608 × 605 × 530	599 × 555	205	480
Gemini Pro D-I 250	1320 × 665 × 665	918 × 605 × 530	879 × 555	294	555
Gemini Pro D-I 340	1600 × 665 × 665	1198 × 605 × 530	1159 × 555	384	625

Gemini Pro D-I

LOCK OPTIONS

Lock	Depth
Key Lock with 2 Keys	Flush
Code Lock with 9 users (LG 39E)	30 mm

Door handle

Handle, black	approx. 42 mm
---------------	---------------

Deposit drawer with metal handle, no lock of its own. Door locks on four sides, opens 180°, hinged on the right. Max. deposit depth 265 mm up to 65 mm high, 180 mm from 66 to 80 mm. Frontload models: safe door and deposit drawer both at the front.

STANDARD COLOURS

-  Graphite Grey (RAL 7024)
-  Light Grey (RAL 7035)